IN THE HIGH COURT OF KERALA AT ERNAKULAM

PRESENT :

THE HON'BLE THE CHIEF JUSTICE MR.H.L.DATTU
&
THE HONOURABLE MR. JUSTICE K.T.SANKARAN

THURSDAY, THE 16TH AUGUST 2007 / 25TH SRAVANA 1929

OP.No. 29241 of 2000(F)

PETITIONER:

K.V.VARGHESE, 46 YEARS, S/O.LATE VARKETY,
KIZHAKEDATHU HOUSE, MUNDANCHIRA,
KANNARA P.O., THRISSUR.

BY ADV. SRI.ESM.KABEER

RESPONDENTS:
---

1. THE STATE OF KERALA, REPRESENTED BY
SECRETARY, IRRIGATION DEPARTMENT,
GOVERNMENT SECRETARIAT, THIRUVANANTHAPURAM.

2. THE CHIEF ENGINEER, PROJECT -1,
KOZHIKODE.

3. THE EXECUTIVE ENGINEER, K.P.I.P.DIVISION NO.I,
KANJIRAPPUZHA P.O., THRISSUR DISTRICT.

BY SENIOR GOVERNMENT PLEADER SMT.MEERA

THIS ORIGINAL PETITION HAVING COME UP FOR ADMISSION ON 16/08/2007, THE COURT ON THE SAME DAY DELIVERED THE FOLLOWING:

H.L.DATTU, C.J. & K.T.SANKARAN,J.

O.P. NO. 29241 OF 2000 F

Dated this the 16th August, 2007

JUDGMENT

H.L.DATTU, C.J.

Learned counsel, Sri.E.S.M.Kabeer, appearing for the petitioner submits that as on today, the relief sought for by the petitioner does not survive for consideration and, therefore, the Original Petition may be closed.

2. Taking note of the submission made by the learned counsel, the Original Petition is disposed of as closed.

3. In view of the order passed in the Original Petition, the relief sought for in C.M.P.No.49444 of 2000 need not be considered by this Court. Accordingly, the said C.M.P is also rejected.

Ordered accordingly.

(H.L.DATTU)
Chief Justice

(K.T.SANKARAN)
Judge

ahz/

H.L.DATTU,C.J. &
K.T.SANKARAN, J.

O.P.NO.29241 OF 2000 F

JUDGMENT

16th August, 2007